

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	5	(steriliz\$9 adj30 fluid\$1) and (heat\$5 adj30 fluid\$1) and ((ultraviolet or uv) adj30 fluid\$1) and (heat\$5 adj30 temperature\$1) and ((ultraviolet or uv) adj30 densit\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B	2007/11/12 20:11
2	BRS	L2	8	(steriliz\$9 adj30 fluid\$1) and (heat\$5 adj30 fluid\$1) and ((ultraviolet or uv) adj30 fluid\$1) and (heat\$5 adj30 temperature\$1) and (((ultraviolet or uv) or irradiat\$5) adj30 densit\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B	2007/11/12 20:21
3	BRS	L3	1	((steriliz\$9 adj30 fluid\$1) and (heat\$5 adj30 fluid\$1) and ((ultraviolet or uv) adj30 fluid\$1) and (heat\$5 adj30 temperature\$1) and (((ultraviolet or uv) or irradiat\$5) adj30 densit\$3)).clm.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B	2007/11/12 20:21